

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	176	(terminal OR probe OR sensor) WITH (current ADJ source) WITH (voltage ADJ source) WITH compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 10:58
L2	8104	((702/57) or (702/63-65) or (702/99) or (702/103) or (702/132-133) or (702/136) or (702/182-183) or (702/188)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 12:29
L3	5524	((320/152) or (320/162) or (320/112) or (320/107) or (320/151-154) or (320/137) or (320/134) or (320/128) or (320/130) or (320/150)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 12:29
L4	2521	((429/61-62) or (429/56-57) or (429/59) or (429/90) or (429/92)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 12:29
L5	19	(leak\$3 AND battery AND control AND interrupt\$3 AND (charg\$3 OR discharg\$3)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:30

L6	22	(US-6184659-\$ or US-6664000-\$ or US-6524739-\$ or US-6344292-\$ or US-5608304-\$ or US-5527638-\$ or US-5496656-\$ or US-6337559-\$ or US-5240022-\$ or US-6432575-\$ or US-5985479-\$ or US-5982140-\$ or US-5569551-\$ or US-6114839-\$ or US-5234017-\$ or US-6294277-\$ or US-6194868-\$ or US-6115586-\$ or US-5945810-\$ or US-5387882-\$ or US-5341282-\$ or US-3849727-\$). did.	USPAT	OR	ON	2008/07/03 12:34
L7	7	L6 AND (current ADJ source) AND (voltage ADJ source) AND compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:35
L8	337	((320/134) or (702/63)).OCLS.	US-PGPUB	OR	OFF	2008/07/03 12:38
L9	9668	liquid AND detect \$3 AND battery AND interrupt\$3 AND (charg\$3 OR discharg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L10	8799	liquid AND detect \$3 AND battery AND interrupt\$3 AND (charg\$3 OR discharg\$3) AND (infiltrat\$3 OR generat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L11	2147	(liquid SAME (infiltrat\$3 OR generat\$3)) AND detect\$3 AND battery AND interrupt\$3 AND (charg\$3 OR discharg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49

L12	480	(liquid SAME (infiltrat\$3 OR generat\$3) SAME detect\$3) AND battery AND interrupt\$3 AND (charg\$3 OR discharg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L13	54	(liquid SAME (infiltrat\$3 OR generat\$3) SAME detect\$3) AND (battery SAME control) AND (interrupt\$3 SAME (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L14	249	(liquid SAME detect \$3) AND (battery SAME control) AND (interrupt\$3 SAME (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L15	25	(liquid NEAR\$3 detect\$3) AND (battery SAME control) AND (interrupt\$3 SAME (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L16	73	(liquid SAME (infiltrat\$3 OR generat\$3) SAME detect\$3) AND battery AND (interrupt\$3 SAME (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L17	2127	(liquid SAME detect \$3) AND battery AND interrupt\$3 AND (charg\$3 OR discharg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L18	365	(liquid SAME detect \$3) AND battery AND (interrupt\$3 SAME (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49

L19	116	((liquid SAME detect\$3) AND battery AND (interrupt\$3 SAME (charg\$3 OR discharg\$3)) AND (temperature SAME detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L20	314	((fluid OR water) SAME detect\$3) AND battery AND (interrupt\$3 SAME (charg\$3 OR discharg\$3)) AND (temperature SAME detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L21	28	((liquid NEAR3 leak\$3) AND (battery SAME control) AND (interrupt\$3 SAME (charg\$3 OR discharg\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L22	28	((liquid NEAR3 leak\$3) AND (battery SAME control) AND (interrupt\$3 SAME (charg\$3 OR discharg\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L23	106	((liquid OR electrol\$4) NEAR3 leak\$3) AND (battery SAME control) AND (interrupt\$3 SAME (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L24	0	(probe WITH separate WITH ".1")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L25	5657	(separate WITH "0.1")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L26	259	(standard ADJ score)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49

L27	29	(sensor WITH separate WITH "0.1")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L28	2	(standard ADJ score) AND (signal ADJ length) AND (signal ADJ amplitude)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L29	100	L26 AND (medical OR patient OR doctor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L30	104	L26 AND (medic\$5 OR patient OR doctor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L31	23	L30 AND length AND amplitude	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L32	19	(leak\$3 AND battery AND control AND interrupt\$3 AND (charg\$3 OR discharg\$3)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L33	7307	(leak\$3 AND battery AND control AND interrupt\$3 AND (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L34	4962	(leak\$3 AND battery AND control AND interrupt\$3 AND (charg\$3 OR discharg\$3) AND (impedance OR resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49

L35	478	((leak\$3 WITH (liquid OR electrolyte)) AND battery AND control AND interrupt\$3 AND (charg\$3 OR discharg\$3) AND (impedance OR resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L36	516	((leak\$3 WITH (liquid OR electrolyte)) SAME (charg\$3 OR discharg\$3)) AND battery AND control AND (impedance OR resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L37	373	((leak\$3 NEAR3 (liquid OR electrolyte)) SAME (charg\$3 OR discharg\$3)) AND battery AND control AND (impedance OR resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L38	3878	((liquid OR electrolyte) ADJ (detect\$3 OR leak\$3)) AND (terminal OR probe OR sensor) AND current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L39	787	((liquid OR electrolyte) ADJ (detect\$3 OR leak\$3)) AND (terminal OR probe OR sensor) AND current AND (battery WITH (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49

L40	74	((liquid OR electrolyte) ADJ (detect\$3 OR leak \$3)) AND (terminal OR probe OR sensor) AND ((no OR zero) NEAR3 current) AND (battery WITH (charg\$3 OR discharg\$3)) AND control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L41	694	(sensor WITH "0.1") AND ((liquid OR electrolyte) WITH detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L42	0	(separate WITH ".1")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L43	11	(probe WITH separate WITH "0.1")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L44	68	((sensor WITH "0.1") SAME ((liquid OR electrolyte) WITH detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L45	2530	(sensor WITH "0.1") AND (liquid OR electrolyte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L46	2530	(sensor WITH "0.1") AND (liquid OR electrolyte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L47	68	((sensor WITH "0.1") SAME ((liquid OR electrolyte) WITH detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49

L48	11	(probe WITH separate WITH "0.1")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L49	0	(separate WITH ".1")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L50	694	(sensor WITH "0.1") AND ((liquid OR electrolyte) WITH detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L51	74	((liquid OR electrolyte) ADJ (detect\$3 OR leak \$3)) AND (terminal OR probe OR sensor) AND ((no OR zero) NEAR3 current) AND (battery WITH (charg\$3 OR discharg\$3)) AND control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L52	787	((liquid OR electrolyte) ADJ (detect\$3 OR leak \$3)) AND (terminal OR probe OR sensor) AND current AND (battery WITH (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L53	3878	((liquid OR electrolyte) ADJ (detect\$3 OR leak \$3)) AND (terminal OR probe OR sensor) AND current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49

L54	373	((leak\$3 NEAR3 (liquid OR electrolyte)) SAME (charg\$3 OR discharg\$3)) AND battery AND control AND (impedance OR resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L55	516	((leak\$3 WITH (liquid OR electrolyte)) SAME (charg\$3 OR discharg\$3)) AND battery AND control AND (impedance OR resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L56	478	((leak\$3 WITH (liquid OR electrolyte)) AND battery AND control AND interrupt\$3 AND (charg\$3 OR discharg\$3) AND (impedance OR resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L57	4962	(leak\$3 AND battery AND control AND interrupt\$3 AND (charg\$3 OR discharg\$3) AND (impedance OR resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L58	7307	(leak\$3 AND battery AND control AND interrupt\$3 AND (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L59	19	(leak\$3 AND battery AND control AND interrupt\$3 AND (charg\$3 OR discharg\$3)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49

L60	259	(standard ADJ score)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L61	104	L60 AND (medic\$5 OR patient OR doctor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L62	23	L61 AND length AND amplitude	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L63	100	L60 AND (medical OR patient OR doctor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L64	2	(standard ADJ score) AND (signal ADJ length) AND (signal ADJ amplitude)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L65	29	(sensor WITH separate WITH "0.1")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L66	5657	(separate WITH "0.1")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L67	0	(probe WITH separate WITH ".1")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L68	106	((liquid OR electrol \$4) NEAR3 leak\$3) AND (battery SAME control) AND (interrupt\$3 SAME (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49

L69	28	(liquid NEAR3 leak \$3) AND (battery SAME control) AND (interrupt\$3 SAME (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L70	28	(liquid NEAR3 leak \$3) AND (battery SAME control) AND (interrupt\$3 SAME (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L71	314	((fluid OR water) SAME detect\$3) AND battery AND (interrupt\$3 SAME (charg\$3 OR discharg\$3)) AND (temperature SAME detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L72	116	(liquid SAME detect \$3) AND battery AND (interrupt\$3 SAME (charg\$3 OR discharg\$3)) AND (temperature SAME detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L73	365	(liquid SAME detect \$3) AND battery AND (interrupt\$3 SAME (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L74	2127	(liquid SAME detect \$3) AND battery AND interrupt\$3 AND (charg\$3 OR discharg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L75	73	(liquid SAME (infiltrat\$3 OR generat\$3) SAME detect\$3) AND battery AND (interrupt\$3 SAME (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49

L76	25	(liquid NEAR3 detect\$3) AND (battery SAME control) AND (interrupt\$3 SAME (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L77	249	(liquid SAME detect\$3) AND (battery SAME control) AND (interrupt\$3 SAME (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L78	54	(liquid SAME (infiltrat\$3 OR generat\$3) SAME detect\$3) AND (battery SAME control) AND (interrupt\$3 SAME (charg\$3 OR discharg\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L79	480	(liquid SAME (infiltrat\$3 OR generat\$3) SAME detect\$3) AND battery AND interrupt\$3 AND (charg\$3 OR discharg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L80	2147	(liquid SAME (infiltrat\$3 OR generat\$3)) AND detect\$3 AND battery AND interrupt\$3 AND (charg\$3 OR discharg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L81	8799	liquid AND detect\$3 AND battery AND interrupt\$3 AND (charg\$3 OR discharg\$3) AND (infiltrat\$3 OR generat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49

L82	9668	liquid AND detect \$3 AND battery AND interrupt\$3 AND (charg\$3 OR discharg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49
L83	16	(US-6184659-\$ or US-6664000-\$ or US-6524739-\$ or US-6344292-\$ or US-5608304-\$ or US-5527638-\$ or US-5496656-\$ or US-6337559-\$ or US-5240022-\$ or US-6432575-\$ or US-5985479-\$ or US-5982140-\$ or US-5569551-\$ or US-6114839-\$ or US-5234017-\$ or US-6294277-\$). did.	USPAT	OR	ON	2008/07/03 12:49
L84	10	L83 AND contin\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 12:49

7/ 3/ 08 1:04:33 PM

C:\ Documents and Settings\ MBaran\ My Documents\ EAST\ Workspaces\ Cases
\ 10708115.wsp